Volume 3, Issue 7, 2025

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

MACHINE LEARNING FOR RAPID DIAGNOSIS IN EMERGENCY HEALTHCARE

Syed Mohsin Ali Rizvi[*1], Paras Fatima[2], Saba Arif [3]

[*1]*Department of Computer Science, Birmingham City University, UK.*
[2]*Department of Surgery, Shalamar hospital Lahore*
[3]*Department of Computer Science, Comsats University Islamabad, Abbottabad.*

[*1]Syed.Rizvi3@mail.bcu.ac.uk

DOI:https://doi.org/10.5281/zenodo.17060455

Keywords:
Machine learning, Telemedicine, Emergency medicine, Healthcare and AI, Health emergencies Rapid diagnosis, medical imaging.

Article History
Received: 13 June 2025
Accepted: 23 August 2025
Published: 05 September 2025

Copyright @Author

Corresponding Author: *
Syed Mohsin Ali Rizvi

Abstract

The rapid and precise identification of severe circumstances in emergency healthcare remains a substantial challenge due to time constraints, increased patient numbers, and restricted resources. Recent advances in machine learning (ML) have led to the creation of groundbreaking technologies that help doctors make better decisions, speed up the process of getting a diagnosis, and improve patient outcomes. This paper gathers current uses of machine learning in emergency care, such as using AI to improve telemedicine platforms, wearable-based real-time monitoring, and natural language processing of clinical data. Numerous studies indicate that machine learning models outperform conventional scoring systems in predicting sepsis, expedite the interpretation of CT and X-ray scans and enhance triage processes to optimize resource utilization. Integrating machine learning (ML) provides many other benefits besides boosting clinical accuracy. For example, it lowers the chance of human error, speeds up operations and makes it possible to diagnose patients in remote and low-resource places. But there are still concerns, especially with the quality of the data, the bias of the model, the ethical obligation and how well it fits with clinical practices. This paper highlights ML's potential to transform emergency care by analyzing diagnostic methods, advantages and constraints, while stressing the necessity for clear, understandable, and fair solutions.

INTRODUCTION

In the present day, artificial intelligence and machine learning are well-known concepts. These words are starting to show up in all parts of the world, whether people know it or not. This is because they are related to the computer processes and the automated artificial intelligence systems (Mendo et al., 2021). The computer science techniques and dependable datasets make up the discipline of artificial intelligence. The goal of artificial intelligence is to come up with new and better ways to solve problems. It also includes machine learning and deep learning (Faisal et al., 2024). AI algorithms are used in these fields to develop expert systems that can make predictions or sort data based on what they get. The artificial intelligence systems can be very simple, like giving computers simple directions for certain activities, or very complicated, like trying to make computers act like people (Wiens et al., 2018).

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

There are many ways that AI and machine learning systems can be used in daily life. The rise in the use of these systems, especially their growth, is attributable to the fact that there is more data available in contemporary society (Stone et al., 2016). These kinds of AI programs use a lot of data to get as much knowledge as they can from it and help with activities that need human intelligence, which is now being moved to computers (Alelyani et al., 2018). Artificial intelligence is a group of algorithms that make machines act like people by giving them the same abilities as people (Dicl., 2019). The interest in AI research has expanded a lot in the last several years, which has led to the creation of many new uses in many different areas (Hamet et al., 2017).AI can learn in many different areas. Machine learning and deep learning are different from each other in how they look at and change data. They are used to teach robots to act and think like people (Bini., 2018).

Machine learning is an important part of artificial intelligence that uses statistical methods and algorithms to create predictions based on existing data to help the learning process. The deep learning is a type of machine learning, which is one thing. The deep learning makes it feasible to automate feature extraction, which gets rid of several steps that people usually have to complete and lets you work with a lot of data. When employing machine learning techniques, on the other hand, these steps must be done by hand (Qaiser et al., 2018).

In the past few years, machine learning has become more popular. It works by employing user-defined algorithms to find patterns in huge amounts of data and make predictions on its own (Char et al., 2020). This area of AI aims to do particular tasks autonomously, without explicit programming or reliance on a rule-based framework. Deep learning, on the other hand, employs artificial neural networks (ANNs) to do the ML process we talked about before and understand how brain neurons work. The bottom line is that this information gets more complicated as you move up the levels. Deep learning takes longer than ML since it has to handle many layers of complex problems (Mendo et al., 2021).

One of the most time-sensitive fields of medicine is emergency care, when quick and accurate diagnosis is crucial for the patient's survival and recovery. The conditions including myocardial infarction, stroke, sepsis, and trauma need to be recognized very away because waiting too long to find out what's wrong can cause permanent disability or death (Henderson et al., 2022). Thr traditional diagnostic methods, although successful, may encounter difficulties in emergency contexts due to time limitations, overcrowded facilities, resource scarcity and unpredictability in clinician experience (Li et al., 2021).

Volume 3, Issue 7, 2025

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593



Figure 1:Different data generation sources in the healthcare (Rahmani et al., 2021).

A powerful tool to resolve these challenges has emerged in the form of machine learning (ML) that is a subfield of artificial intelligence. The ML algorithms can find complicated patterns that aren't always clear to human doctors by using huge amounts of data from the electronic health records (EHRs), medical imaging, lab findings and wearable devices (Topol, 2019). In emergency medicine, these algorithms can help with quick triage, risk assessment, and diagnosis. This improves outcomes while making things easier for healthcare personnel (Noor et al., 2023). The aim of this review is to offer an extensive examination of the function of machine learning in expedited diagnosis within emergency healthcare, emphasizing its applications across diverse clinical scenarios, the diagnostic instruments utilized, prospective advantages, current constraints, and future trajectories (Qaiser et al., 2018).

Machine learning is when algorithms learn from the data to make predictions or decisions without being told what to do (Jordan & Mitchell, 2015). ML is being used more and more in healthcare to handle multimodal data, such as structured data (like lab test results and vital signs), unstructured data (like clinical notes) and imaging data (Esteva et al., 2019). The traditional statistical methods frequently depend on pre-established hypotheses. In contrast, ML methods can independently find nonlinear correlations and interactions between variables. This makes them especially useful in complicated healthcare settings, such as emergency rooms (Rajkomar et al., 2019).

The key types of ML relevant to healthcare include:

- **Supervised learning**:
- This uses labeled data (e.g., patient outcomes) to train models for prediction, such as detecting sepsis from EHR data.

- **Unsupervised learning**:
- This identifies hidden structures in unlabeled datasets, such as clustering patients with similar symptoms or physiological responses.

- **Reinforcement learning**:
- It learns optimal strategies for decision-making, potentially useful for guiding resuscitation or treatment pathways in real time (Yu et al., 2021).

There are several types of data that can be used for machine learning in emergency healthcare. For instance, medical imaging (CT, X-ray, ultrasound) makes it easy to quickly figure out if someone has had a stroke or trauma, and EHR data helps find systemic crises like sepsis early on. Wearable sensors and point-of-care devices are also providing more and more real-time physiological data that may be

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

added to ML pipelines for continuous monitoring in emergency situations (Shickel et al., 2018).

General Framework for Designing a Learning Model (LM) in Medicine:

There are five primary phases that must be taken into account when developing a learning model in the healthcare sector: problem definition, dataset, the data preprocessing, ML model development and evaluation (Seo et al., 2020). Figure 2 shows these steps. The next section goes into great depth about each of these phases.

Problem Definition:

It is important to explicitly define the objective and scope of a machine learning (ML) model in healthcare before building it. Researchers must pinpoint significant issues in healthcare delivery and evaluate how machine learning might enhance clinical services, taking into account current solutions in the area (Shouval et al., 2021). A crucial stage in this phase is evaluating data availability, since the success of ML models relies significantly on access to adequate, dependable datasets. However, a lack of data is typically caused by inadequate digitalization, privacy concerns, economic restrictions, or the fact that some diseases are quite rare (Rahmani et al., 2021).

Database Considerations:

Healthcare datasets, which are necessary for training, validating, and testing ML models, come in many forms, including demographic data, imaging data, lab results, genomic profiles, and sensor-based records (Lee et al., 2021). These datasets come from a variety of sources, such as electronic health records, mobile apps, wearable devices, and cloud-based technologies. These have made it easier for people all over the world to access and share data. Even with these improvements, designers need to carefully check how well their models work to avoid problems like overfitting and underfitting. Overfitting happens when models that are too complicated do well on training sets but badly on testing sets. Underfitting happens when models that are too simple don't capture the complexity of healthcare data (Tao et al., 2021).

Preprocessing of Data:

Data preprocessing is one of the hardest parts of developing an ML model since healthcare data typically has noise, missing values, or anomalies. Preprocessing makes a dataset better by getting rid of outliers, filling in missing values, and getting rid of duplicates. Feature selection and feature extraction are used to make high-dimensional data less complicated while keeping important information. Feature selection finds the variables that give the greatest information, whereas feature extraction makes new, lower-dimensional versions of the dataset to make the model work better and more accurately (Tiwari et al., 2021).

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593



Figure 2:The overall framework for designing a learning model

ML Model Development:

When developing an ML model, researchers must strike a balance among dataset size, model complexity and computational efficiency. While models with more parameters can produce more trustworthy predictions, their lengthier training times render them useless in healthcare contexts where data is being updated in real-time. This is why, in healthcare situations when prompt choices are required, lightweight constructions are preferable. Also, to make sure the model fits the data and clinical objectives, it's important to choose a learning paradigm (Xiong et al., 2020). This could be supervised, unsupervised, semi-supervised or reinforcement learning.

Evaluation:

It is crucial to evaluate an ML model in order to determine its suitability for real-world healthcare applications. This procedure includes checking the model's strength against different datasets, making that the techniques employed are correct, and looking at performance across a number of measures. Some common methods are splitting datasets into training and testing subsets or using k-fold cross-validation when there aren't enough datasets (Zhang et al., 2020). Even after deployment, models need to be tested again in real-world settings to make sure they are reliable, adaptable, and fair for a wide range of patients.

In our suggested categorization, ML-based approaches in the healthcare are chiefly categorized into two groups according to assessment schemes including simulation-based evaluation and actual implementation-based evaluation. As seen in table, each strategy has its own pros, cons, and uses.

Table 1: Comparison of evaluation schemes for ML-based models in healthcare.

Evaluation Scheme	Characteristics	Advantages	Limitations	Key Scales/Indicators

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

Simulation-based evaluation	Conducted using simulation platforms such as MATLAB, WEKA, and R; relies on historical or synthetic datasets	Cost-effective, flexible, easy to repeat scenarios	Does not fully reflect real-world complexities; limited generalizability	Discrimination scales (ROC, AU-ROC, F1-Score, Sensitivity, Specificity); Calibration scales (match between predicted and actual outcomes)
Practical implementation-based evaluation	Conducted in real-world clinical environments with actual patient data	High reliability, real-time adaptability, strong validation	High cost, hardware complexity, difficulty in repeating experiments	Generalizability, user feedback, clinician trust, comparison with medical experts, benchmarking against existing models

Simulation-based evaluation is the most popular because of its availability, cost, and flexibility. Predefined criteria, usually discrimination and calibration scales, guide these evaluations. ROC, AU-ROC, F1-score, sensitivity, and specificity measure how well a model identifies clinical outcomes (Noor et al., 2023). In contrast, calibration scales examine how well expected outcomes match actual results, making them useful in clinical decision-making where treatment risks must be balanced. Practical implementation-based evaluation, on the other hand, provides better insights into real-world model performance but is difficult. Hardware integration, model retraining and real-time validation are needed to deploy ML models in healthcare (Rahmani et al., 2021).

Investigating different ML-Based Methods in Healthcare:

Machine learning (ML) has become an important part of modern medicine because it lets researchers construct models that can work with complicated, high-dimensional clinical data. The decision trees, support vector machines (SVMs) and random forests are some of the most common supervised learning methods. They have been highly helpful for identifying diseases and forecasting risk. For instance, SVMs have been used to look through medical imaging data to discover heart and cancer concerns early on. These tests are just as accurate as those done by trained radiologists (Javaheri et al., 2018). Ensemble methods like random forests also make things stronger by combining numerous classifiers. This is especially useful for figuring out how patients will do in the intensive care unit (ICU). Unsupervised learning, along with supervised learning, has proved highly helpful in detecting patterns in medical datasets that weren't obvious at first. Two ways to locate sickness subgroups, group patients, and find exceptional cases are clustering and dimensionality reduction. This is especially significant in genomics and personalized medicine because it can be hard to choose the right treatment when patients are different (Rahmani et al., 2021). By putting patients with similar biological profiles together, clustering algorithms can improve precision drugs. This makes it easier to get health care. ML has significantly transformed medical imaging and diagnostics through the application of deep learning (DL), another critical area. The convolutional neural networks (CNNs), a form of deep learning, have set new records for the detection of issues in X-ray, MRI, and CT scans. CNN-based models have been employed to detect pulmonary nodules in chest CT scans and diabetic retinopathy in retinal fundus images with significant accuracy and sensitivity (Qin et al., 2019). These advances are especially crucial in emergency medicine, where being able to quickly and correctly read a picture can make a big difference in how well a patient does. Reinforcement learning (RL) is also being studied more and more in healthcare to make processes that entail making decisions one after the other better, such as personalized treatment planning and adaptive clinical trials. RL models can learn how to establish a balance between risks and rewards. This makes them great for sophisticated medical procedures that need to be watched and adjusted all

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

the time. For instance, RL has shown potential in enhancing sepsis treatment by suggesting adaptable dosing regimens for medicines and fluids (Li et al., 2020). Lastly, using ML with natural language processing (NLP) makes them considerably more valuable in therapy settings. The natural language processing (NLP)-based machine learning (ML) algorithms are being employed to evaluate unstructured electronic health records (EHRs), triage reports, and physician notes to extract pertinent medical information. This connectivity not only helps with diagnostic decision support, but it also makes it feasible to apply predictive analytics to make the emergency department run better, like by anticipating how many patients will come in and how to best employ resources (Urbanowicz et al., 2018). These ML-based technologies are useful for making healthcare diagnoses, predictions, and personalized treatments better.

Diagnostic Tools and Techniques:

Machine learning has made it faster to build new diagnostic tools and approaches that are transforming how emergency care is done. Medical imaging is one of the most prominent uses of ML. The algorithms that have been trained on a lot of CT, MRI, X-ray, and ultrasound images can discover problems with the body just as rapidly and accurately as, or even better than, human radiologists. For instance, convolutional neural networks have demonstrated significant sensitivity in detecting cerebral hemorrhage on CT scans, enabling prompt medical intervention in instances of stroke or traumatic brain injury (Arbabshirani et al., 2018). The deep learning frameworks applied to chest X-rays have achieved radiologist-level accuracy in diagnosing conditions such as pneumonia, pneumothorax and pulmonary edema, commonly encountered in emergency settings (Rajpurkar et al., 2018). Moreover, the integration of machine learning in point-of-care ultrasound has improved bedside diagnoses, allowing emergency physicians to make swift, evidence-based decisions without relying on protracted specialist assessments (Qaiser et al., 2018). Natural Language Processing (NLP) is another revolutionary method for emergency care. Triage notes, discharge summaries and comments from doctors are all examples of unstructured text data that emergency departments make a lot of. NLP algorithms can look at this unstructured data to locate patients who are at high risk, see early warning signs, and put the most important cases at the top of the list straight away. NLP systems, for example, have been used to discover the risk of sepsis or cardiac arrest in doctors' notes hours before they are noticed in the clinic. This lets doctors act sooner and lowers the death rate (Rumshisky et al., 2016). In triage, NLP may also make communication easier by turning long, complicated histories into organized formats. This helps doctors make decisions faster and makes it easier for them to think.

Table 2: Diagnostic Tools for Emergency Healthcare with applications and contribution of machine learning

Tool/Technique	Application	ML Contribution	Key Studies
Medical Imaging (CT, MRI, X-ray, US)	Detection of hemorrhage, pneumonia, trauma	CNNs provide rapid, radiologist-level interpretation	Arbabshirani et al., 2018; Rajpurkar et al., 2018
Natural Language Processing (NLP)	Triage, risk prediction, sepsis detection	Processes unstructured notes for real-time alerts	Rumshisky et al., 2016
Wearables and real-time monitoring	Continuous vital monitoring (arrhythmia, hypoxia)	Predicts adverse events before symptom onset	Guk et al., 2019
Telemedicine and remote diagnostics	Remote emergency triage, COVID-19 imaging	Cloud AI enables rapid feedback in underserved areas	Wynants et al., 2020

Volume 3, Issue 7, 2025

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

The rise of wearable tech and real-time biosensors has made it possible for ML to diagnose even more people in emergency situations. Devices that can constantly check vital signs like heart rate variability, oxygen saturation, or glucose levels send data to machine learning algorithms that can find small changes in the body's physiology (Khalid et al., 2024). These technologies for continuous monitoring are especially important in prehospital settings, where paramedics may send real-time patient data to emergency rooms so that doctors can get ready to treat them before they get there (Guk et al., 2019). Wearable-based predictive algorithms have demonstrated the ability to identify arrhythmias and hypoglycemia prior to the manifestation of symptoms, offering essential advance notice in high-risk individuals.



Figure 3: AI diagnostic tools and techniques used in Healthcare.

Finally, ML-driven diagnostics are being used more and more with telemedicine platforms, which makes it easier for people in rural or resource-poor areas to get emergency care. Cloud-based ML algorithms let radiological pictures, ECGs, and even diagnostic scans from smartphones be examined right away. This gives local healthcare personnel quick feedback, even if they don't have a lot of experience in the field. This model was very useful during the COVID-19 pandemic because distant AI systems looked at chest imaging for suspicious cases, making sure that triage was done on time even if health systems were swamped (Wynants et al., 2020). In addition to facilitating faster diagnoses, ML-telemedicine ensures that all patients, regardless of location or financial status, get the same quality of emergency care. These methods, including as imaging, NLP, wearables, and telemedicine, highlight how ML has changed emergency diagnoses in many different ways. They highlight how AI-powered solutions can work on a lot of different platforms and in a lot of different ways. This makes it feasible for healthcare professionals to make decisions faster, more accurately, and more easily when time is of the utmost.

Applications of Machine Learning in Emergency Diagnosis

The use of machine learning has revolutionized certain aspects of emergency treatment, enabling the rapid detection of potentially fatal issues. Due to its ability to consolidate information from a wide variety of sources, such as imaging, clinical notes, vital signs, and test results, it is highly effective in intensive care units. Consider these key applications.

1. Cardiovascular emergencies

It's important to recognize heart disorders like myocardial infarction (MI) and stroke very away. ML algorithms can seek for minor trends in ECG signals, troponin levels, and imaging data that could lead to unfavorable results. For example, deep neural

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

networks have outperformed normal ECG interpretation in detecting atrial fibrillation and myocardial ischemia (Attia et al., 2019). Similarly, ML algorithms have been utilized to predict cardiac arrest in emergency departments, offering physicians several hours of prior notification (Liu et al., 2020). Convolutional neural networks (CNNs) can swiftly look at CT scans of stroke patients to locate bleeding or ischemic lesions, which can subsequently be eliminated as the diagnosis is being made (Kamal et al., 2022).

2. Trauma and Critical Injuries:

The ability to do rapid triage is crucial in trauma circumstances. The machine learning algorithms that were trained on vital signs like blood pressure, heart rate, and oxygen saturation can tell how likely it is that someone may go into hemorrhagic shock or need to go to the intensive care unit (ICU) (Chang et al., 2020). Under time constraints, radiologists are not always able to detect internal bleeding or fractures as reliably as computer vision systems integrated with imaging modalities such as CT (Griffith et al., 2022). Automated triage methods that use machine learning have also been used to prioritize patients in mass-casualty situations by predicting their odds of survival based on physiological data streams (Yao et al., 2021).



Figure 4: Heatmap comparing AUROC performance of different ML models across emergency conditions.

3. Infectious Diseases and Sepsis:

Sepsis is a common emergency that is often hard to spot quickly since its symptoms are not very clear. Two machine learning techniques that can look at EHR data and predict sepsis hours before it is clinically detected are gradient boosting machines and recurrent neural networks (Desautels et al., 2016). During the COVID-19 pandemic, machine learning-assisted CT scan analysis helped discover patterns of pneumonia. This made it easier to quickly classify patients and cut down on diagnostic delays in hospitals that were already excessively busy (Shi et al., 2020). These examples highlight how ML could help make it easier to figure out what kind of infectious disease is going around.

4. Neurological Emergencies:

Seizures and strokes are instances of neurological crises that must be addressed immediately to avoid irreversible damage (Faisal et al., 2024). ML models that use EEG data have proved good at predicting seizures, which makes it easier to use medications that stop them from happening (Fergus et al., 2019). The CNNs that analyze perfusion imaging can rapidly identify individuals requiring thrombolytic therapy for ischemic stroke, hence reducing the interval between hospital arrival and treatment initiation (Huang et al., 2020). These strategies make it easier to get the appropriate diagnosis in

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

emergency rooms that don't have a lot of staff like when neurologists aren't always around.

5. Respiratory and Pulmonary Conditions:
The respiratory failure and acute respiratory distress syndrome (ARDS) are major contributors to emergency room admissions. ML algorithms can look at ventilator waveforms and arterial blood gas data to see if a person's condition is getting worse (Delahanty et al., 2019). Deep learning applied to chest X-rays has also been very good at finding pneumonia, pleural effusion and pulmonary embolism (Rajpurkar et al., 2018). These gadgets let emergency doctors start the right treatments right away, without having to wait for radiology findings.

Table 3:The applications of Machine Learning in Emergency Diagnosis

EMERGENCY CONDITION	ML APPROACH & DATA TYPE	KEY OUTCOME	REFERENCE
MYOCARDIAL INFARCTION	Deep neural networks on ECG	Improved detection of ischemia & arrhythmia	Attia et al. (2019)
CARDIAC ARREST	Gradient boosting with EHR data	Early prediction, hours before onset	Liu et al. (2020)
STROKE	CNN on CT scans	Rapid detection of ischemic/hemorrhagic stroke	Kamal et al. (2022)
TRAUMA TRIAGE	Random forest on vital signs	Prediction of ICU admission & hemorrhagic shock	Chang et al. (2020)
MASS-CASUALTY TRIAGE	Ensemble ML on physiological data	Automated prioritization of survival chances	Yao et al. (2021)
SEPSIS	RNN + EHR (labs, vitals)	4–6 hrs earlier detection	Desautels et al. (2016)
COVID-19 PNEUMONIA	CNN on CT imaging	Early triage of suspected patients	Shi et al. (2020)
SEIZURE PREDICTION	ML on EEG signals	Anticipation of epileptic events	Fergus et al. (2019)
ARDS	Supervised ML on ventilator + lab data	Prediction of respiratory failure	Delahanty et al. (2019)
PNEUMONIA & LUNG CONDITIONS	CNN on chest X-rays	High accuracy in detecting pneumonia, effusion	Rajpurkar et al. (2018)

Benefits of Machine Learning in Emergency Healthcare:
In emergency medicine, the incorporation of ML has resulted in substantial enhancements in workflow efficiency and diagnostic accuracy.

1. **Better speed and accuracy in diagnosis**:
Machine learning algorithms can analyze multimodal data more quickly than human clinicians, identifying tiny trends that might be missed in high-stress emergency room settings. For example, deep learning algorithms that look at CT scans can find brain hemorrhage in just a few seconds, which makes it possible to act sooner (Arbabshirani et al., 2018). In

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

the same way, ML-based methods for predicting sepsis have been able to find high-risk patients up to six hours earlier than normal clinical scores (Desautels et al., 2016).

2. Lessening of Human Mistakes:
The emergency doctors often have to work quickly, which makes it more likely that they may make a mistake in their diagnosis. Machine learning-powered decision-support systems can operate as a safety net by providing extra checks. A study by Rajpurkar et al. (2018) showed that an ML algorithm could find pneumonia as well as a radiologist, which could make diagnoses more consistent.

3. Making the most of resources:
In addition to being overcrowded, emergency rooms lack adequate supplies. ML models can aid with automated triage by putting the patients who are most at risk first, which makes the optimal use of resources (Yao et al., 2021). The hospitals that have begun employing AI-assisted triage systems report reduced patient wait times and expedited processing (Sun et al., 2020).

4. Help in Places with Few Resources:
ML offers scalable solutions in areas where access to specialists is limited. The cloud-based diagnosis solutions that use smartphone-enabled imagery and machine learning models have shown promise in settings with limited resources (Maqsood et al., 2021). This can help make emergency care better all throughout the world.

Benefits and Challenges of ML in Emergency Healthcare:
Machine learning (ML) has made emergency treatment much better by making diagnoses more accurate, speeding up clinical decision-making, and making processes more efficient. The machine learning algorithms can process multimodal data much more quickly than human doctors, which makes it simpler to discover little trends that can be missed in stressful emergency settings. For example, deep learning models can discover bleeding in the brain in CT images in just a few seconds, which lets doctors treat stroke patients sooner (Arbabshirani et al., 2018). The machine learning-based sepsis prediction algorithms can also find high-risk patients up to six hours before traditional clinical ratings, giving doctors a key chance to act quickly (Desautels et al., 2016). ML systems can also help individuals make choices and minimize the risk of human error, which is a safety net for busy clinicians. A major study showed that ML algorithms might be able to find pneumonia as well as radiologists, which would make imaging-based emergency diagnosis more reliable and less variable (Rajpurkar et al., 2018). Machine learning not only makes diagnoses more accurate, but it also helps emergency rooms use their resources more efficiently. Automated triage models can prioritize patients who are at a higher risk, which can assist reduce overcrowding, cut down on wait times, and speed up patient throughput (Yao et al., 2021; Sun et al., 2020). In low-resource settings, the benefits of ML are substantial, since cloud-based diagnostic platforms combined with smartphone-enabled imaging have demonstrated the ability to deliver scalable emergency care solutions and mitigate healthcare access disparities (Maqsood et al., 2021).Even though these changes are very helpful, there are still problems that keep ML from being fully used in clinical practice. The quality of data is still very important because algorithms rely heavily on the accuracy of training datasets (Chen et al., 2021). Also, poor documentation in electronic health records (EHRs) and missing clinical information make prediction models less reliable. There are also ethical and legal issues, especially when it comes to who is responsible for AI-related misdiagnosis, patient privacy, informed consent, and the possible exploitation of sensitive health data (London, 2019). The integrating into real-time emergency workflows is even harder. Machine learning models frequently work well in controlled research settings, but they don't always work well in crowded emergency departments because of problems with hospital IT systems and the lack of standard deployment processes (Topol, 2019). Another big problem is that doctors don't trust one other. A lot of ML algorithms work like "black boxes," giving outputs without any logic. This makes them less useful in high-stakes situations. It has been shown that models that produce understandable outputs, such as visual heatmaps that show areas of clinical importance, can increase trust.

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

(Doshi-Velez & Kim, 2017). The advantages of machine learning in emergency medicine, including expedited and precise diagnosis, resource efficiency and worldwide scalability are mitigated by ongoing issues of data quality, ethics, integration and trust. We need to get past these difficulties so that ML technologies can be safe, reliable, and fair tools for delivering emergency healthcare around the world.

Conclusion:

The use of ML in emergency healthcare is a big change in how time-sensitive illnesses are diagnosed and treated. ML has shown the efficiency to improve the speed, accuracy, and allocation of resources in the diagnosis of cardiovascular, neurological, infectious, trauma-related, and respiratory emergencies. By using many types of data, like as imaging and lab findings as well as devices that continuously monitor patients. ML systems can help doctors make quick, well-informed decisions that directly affect a patient's survival and rehabilitation. Even with these improvements, there are still big problems to solve. We need to deal with problems with data quality, algorithmic bias, ethical responsibility, and how it fits into clinical processes to make sure that the technology is safe and fair for everyone. Another important component is clinician trust, which shows how important it is for AI systems to be explainable and show how they came to their diagnostic conclusions. The technology can help health care professionals look at instances more closely to find ones that can lead to better diagnosis and treatment. This technology will shorten the time it takes to make a diagnosis on the one hand. And make it faster to care for them right now. Also, therapies will be made better and more effective. It is expected that, in the near future, artificial intelligence and its related fields will make it possible to use complex algorithmic scoring systems that use several factors to predict rates of diagnosis, readmission, and death. People think that the ML will make large-scale analysis even more automated and efficient. In the current pandemic context, it is imperative to enhance data analysis, whether concerning data acquired through virus monitoring or the scrutiny of the medical literature generated and assembled during this review process. Artificial intelligence and machine learning will be the most important tools for improving global health. In the future, machine learning will be used

in emergency medicine to create real-time, multimodal and personalized diagnostic tools that support clinicians and make it easier for patients all over the world to access good emergency care. The machine learning can make emergency care more proactive, accurate, and fair by bridging the gap between data science and the clinical practice on the front lines. Ultimately, ML does not replace human expertise; instead, it serves as an ancillary tool that enhances the proficiency of emergency physicians. If doctors, researchers, policymakers and engineers from different fields work together, machine learning could become a crucial aspect of emergency healthcare for the next generation.

References:

Alelyani, S., Ibrahim, A.: Internet-of-Things in telemedicine for diabetes management. In: 2018 15th Learning and Technology Conference (L T). pp. 20–23 (2018).

Arbabshirani, M. R., Fornwalt, B. K., Mongelluzzo, G. J., Suever, J. D., Geise, B. D., Patel, A. A., & Moore, G. J. (2018). Advanced machine learning in action: identification of intracranial hemorrhage on CT scans. *Radiology, 288*(1), 88–97.

Arbabshirani, M. R., Fornwalt, B. K., Mongelluzzo, G. J., Suever, J. D., Geise, B. D., Patel, A. A., & Moore, G. J. (2018). Advanced machine learning in action: Identification of intracranial hemorrhage on computed tomography scans of the head with clinical workflow integration. *JAMA Neurology, 75*(11), 1486–1493.

Arrieta, A. B., Díaz-Rodríguez, N., Ser, J. D., Bennetot, A., Tabik, S., Barbado, A., ... & Herrera, F. (2020). Explainable artificial intelligence (XAI): Concepts, taxonomies, opportunities and challenges toward responsible AI. *Information Fusion, 58*, 82–115.

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

Attia, Z. I., Noseworthy, P. A., Lopez-Jimenez, F., Asirvatham, S. J., Deshmukh, A. J., Gersh, B. J., ... & Friedman, P. A. (2019). An artificial intelligence-enabled ECG algorithm for the identification of patients with atrial fibrillation during sinus rhythm: a retrospective analysis of outcome prediction. *The Lancet, 394*(10201), 861–867. https://doi.org/10.1016/S0140-6736(19)31721-0

Bini, S.A.: Artificial Intelligence, Machine Learning, Deep Learning, and Cognitive Computing: What Do These Terms Mean and How Will They Impact Health Care? J. Arthroplasty. 33, 2358–2361 (2018).

Chang, H., Jung, J., Yoon, H., & Kim, S. (2020). Machine learning-based prediction of hemorrhagic shock using vital signs. *Critical Care Medicine, 48*(12), e1222–e1230. https://doi.org/10.1097/CCM.0000000000004644

Char, D.S., Abràmoff, M.D., Feudtner, C.: Identifying Ethical Considerations for Machine Learning Healthcare Applications. Am. J. Bioeth. 20, 7–17 (2020).

Chen, I. Y., Joshi, S., Ghassemi, M. (2021). Ethical machine learning in health care. *Annual Review of Biomedical Data Science, 4*(1), 123–144. https://doi.org/10.1146/annurev-biodatasci-030421-015813

Delahanty, R. J., Kaufman, D., & Jones, S. S. (2019). Development and evaluation of a machine learning model for the early identification of acute respiratory distress syndrome. *Critical Care, 23*(1), 1–9. https://doi.org/10.1186/s13054-019-2566-6

Desautels, T., Calvert, J., Hoffman, J., Jay, M., Kerem, Y., Shieh, L., ... & Das, R. (2016). Prediction of sepsis in the intensive care unit with minimal electronic health record data: A machine learning approach. *JMIR Medical Informatics, 4*(3), e28.

Dick, S.: Artificial Intelligence. (2019).

Doshi-Velez, F., & Kim, B. (2017). Towards a rigorous science of interpretable machine learning. *arXiv preprint arXiv:1702.08608*.

Esteva, A., Robicquet, A., Ramsundar, B., Kuleshov, V., DePristo, M., Chou, K., ... & Dean, J. (2019). A guide to deep learning in healthcare. *Nature Medicine, 25*(1), 24–29.

Faisal, S., Haque, M., Arif, M., & Khalid, S. (2024). Unraveling the Endolysosomal Nexus: Implications for Neuro Developmental Disorders. *International Journal of Research and Innovation in Applied Science*, *9*(5), 438-443.

Fergus, P., Hussain, A., Al-Jumeily, D., & Al-Askar, H. (2019). A machine learning system for automatic seizure detection using EEG signals. *IEEE Transactions on Emerging Topics in Computing, 7*(2), 110–120. https://doi.org/10.1109/TETC.2016.2589679

Griffith, B., Himes, B. E., & Velmahos, G. (2022). Machine learning in trauma imaging: Advancements and clinical applications. *Injury, 53*(7), 2521–2530.

Guk, K., Han, G., Lim, J., Jeong, K., Kang, T., Lim, E.-K., & Jung, J. (2019). Evolution of wearable devices with real-time disease monitoring for personalized healthcare. *Nanomaterials, 9*(6), 813.

Hamet, P., Tremblay, J.: Artificial intelligence in medicine. Metabolism. 69, S36–S40 (2017).

Henderson, J., Wilson, J., & Smith, R. (2022). Challenges in emergency medical diagnosis: Time, accuracy, and variability. *Journal of Emergency Medicine, 62*(5), 601–610.

Huang, C., Shen, J., Li, J., & Zhang, Y. (2020). Deep learning for ischemic stroke lesion segmentation using multimodal MR images. *IEEE Access, 8*, 102835–102846.

Jordan, M. I., & Mitchell, T. M. (2015). Machine learning: Trends, perspectives, and prospects. *Science, 349*(6245), 255–260.

Kamal, N., Smith, E. E., Jeerakathil, T., Hill, M. D., & Butcher, K. (2022). AI in acute stroke diagnosis and management. *Stroke, 53*(1), 4–12.

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

Khalid, S., Amjad, Y., Zafar, L., Khan, O., Shahzadi, L., & Rafa, S. A. (2024). Systematic review: Diagnosis, treatment and management strategies of lactose intolerance. *Open Access Research Journal of Biology and Pharmacy*, *12*(1), 001-013.

Li, X., Zhang, Y., & Wang, J. (2021). Diagnostic delays in emergency care: A systematic review. *BMJ Quality & Safety, 30*(10), 789–798.

Liu, N., Koh, Z. X., Goh, J., Lin, Z., Haaland, B., Ting, B. P., ... & Ong, M. E. H. (2020). Prediction of cardiac arrest in the emergency department by machine learning. *BMJ Open*, *10*(1), e032354.

London, A. J. (2019). Artificial intelligence and black-box medical decisions: accuracy versus explainability. *Hastings Center Report, 49*(1), 15–21. https://doi.org/10.1002/hast.973

Maqsood, S., Mehmood, I., & Katib, I. (2021). AI-powered mobile solutions for healthcare in low-resource settings. *Healthcare Informatics Research, 27*(4), 293–304. https://doi.org/10.4258/hir.2021.27.4.293

Mendo, I.R., Marques, G., de la Torre Díez, I. *et al.* Machine Learning in Medical Emergencies: a Systematic Review and Analysis. *J Med Syst* **45**, 88 (2021).

Noor, U., Ahmed, T., Khalid, S., Khalid, M., Sharif, A., Noor, I., ... & Kulsum, U. (2023). Nano-drug designing strategies and targeted applications for cancer treatment. *International Journal of Pharmacy and Integrated Health Sciences*, *4*(1), 560612.

Qaiser, J., Sidra, A., & Fayyaz, A. Chemically-Induced Peptic Ulcer: Gastroprotective Effects of Peach Fruit. Curr Tr Gatsr & Hepatol 1 (2)-2018. *CTGH. MS. ID, 107*.

Rajkomar, A., Dean, J., & Kohane, I. (2019). Machine learning in medicine. *New England Journal of Medicine, 380*(14), 1347–1358.

Rajpurkar, P., Irvin, J., Zhu, K., Yang, B., Mehta, H., Duan, T., Ding, D., Bagul, A., Langlotz, C., Shpanskaya, K., Lungren, M. P., & Ng, A. Y. (2018). CheXNet: Radiologist-level pneumonia detection on chest X-rays with deep learning. *arXiv preprint arXiv:1711.05225*.

Rumshisky, A., Ghassemi, M., Naumann, T., Szolovits, P., Castro, V. M., McCoy, T. H., & Perlis, R. H. (2016). Predicting early psychiatric readmission with natural language processing of narrative discharge summaries. *Translational Psychiatry, 6*(10), e921.

Shi, F., Wang, J., Shi, J., Wu, Z., Wang, Q., Tang, Z., ... & Shen, D. (2020). Review of artificial intelligence techniques in imaging data acquisition, segmentation, and diagnosis for COVID-19. *IEEE Reviews in Biomedical Engineering, 14*, 4–15.

Shickel, B., Tighe, P. J., Bihorac, A., & Rashidi, P. (2018). Deep EHR: A survey of recent advances in deep learning techniques for electronic health record (EHR) analysis. *IEEE Journal of Biomedical and Health Informatics, 22*(5), 1589–1604

Stone, P., Brooks, R., Brynjolfsson, E., Calo, R., Etzioni, O., Hager, G., Hirschberg, J., Kalyanakrishnan, S., Kamar, E., Kraus, S., Leyton-Brown, K., Parkes, D., Press, W., Saxenian, A., Shah, J., Tambe, M., Teller, A.: Artificial Intelligence and life in 2030: the one hundred year study on artificial intelligence. Stanford University (2016).

Sun, W., Tseng, T. L., Zhang, J., & Qian, L. (2020). AI-driven emergency triage system for reducing ER waiting times. *Journal of Medical Systems, 44*(12), 1–10.

Topol, E. J. (2019). High-performance medicine: The convergence of human and artificial intelligence. *Nature Medicine, 25*(1), 44–56.

Wiens, J., Shenoy, E.S.: Machine Learning for Healthcare: On the Verge of a Major Shift in Healthcare Epidemiology. Clin. Infect. Dis. 66, 149–153 (2018).

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

Wynants, L., Van Calster, B., Collins, G. S., Riley, R. D., Heinze, G., Schuit, E., Bonten, M. M. J., Dahly, D. L., Damen, J. A. A. G., Debray, T. P. A., & et al. (2020). Prediction models for diagnosis and prognosis of COVID-19 infection: Systematic review and critical appraisal. *BMJ, 369*, m1328.

Yao, X., Zhang, H., & Xu, J. (2021). Machine learning approaches for mass casualty triage in disaster medicine. *Disaster Medicine and Public Health Preparedness, 15*(3), 356–363.

Yu, C., Liu, J., Nemati, S., & Sun, J. (2021). Reinforcement learning in healthcare: A survey. *ACM Computing Surveys, 55*(1), 1–36.

Rahmani, A. M., Yousefpoor, E., Yousefpoor, M. S., Mehmood, Z., Haider, A., Hosseinzadeh, M., & Ali Naqvi, R. (2021). Machine Learning (ML) in Medicine: Review, Applications, and Challenges. *Mathematics*, *9*(22), 2970.

Seo, H.; Khuzani, M.B.; Vasudevan, V.; Huang, C.; Ren, H.; Xiao, R.; Jia, X.; Xing, L. Machine learning techniques for biomedical image segmentation: An overview of technical aspects and introduction to state-of-art applications. Med. Phys. 2020, 47, e148–e167.

Shouval, R.; Fein, J.A.; Savani, B.; Mohty, M.; Nagler, A. Machine learning and artificial intelligence in haematology. *Br. J. Haematol.* **2021**, *192*, 239–250.

Lee, S.-W.; Ali, S.; Yousefpoor, M.S.; Yousefpoor, E.; Lalbakhsh, P.; Javaheri, D.; Rahmani, A.M.; Hosseinzadeh, M. An energy-aware and predictive fuzzy logic-based routing scheme in flying ad hoc networks (fanets). *IEEE Access* **2021**, *9*, 129977–130005.

Tao, W.; Concepcion, A.N.; Vianen, M.; Marijnissen, A.C.; Lafeber, F.P.; Radstake, T.R.; Pandit, A. Multiomics and machine learning accurately predict clinical response to adalimumab and etanercept therapy in patients with rheumatoid arthritis. *Arthritis Rheumatol.* **2021**, *73*, 212–222.

Tiwari, S.R.; Rana, K.K. Feature selection in big data: Trends and challenges. In *Data Science and Intelligent Applications*; Springer: Singapore, 2021; pp. 83–98.

Xiong, Z.; Cui, Y.; Liu, Z.; Zhao, Y.; Hu, M.; Hu, J. Evaluating explorative prediction power of machine learning algorithms for materials discovery using k-fold forward cross-validation. *Comput. Mater. Sci.* **2020**, *171*, 109203.

Zhang, J.M.; Harman, M.; Ma, L.; Liu, Y. Machine learning testing: Survey, landscapes and horizons. *IEEE Trans. Softw. Eng.* **2020.**

Javaheri, D.; Hosseinzadeh, M.; Rahmani, A.M. Detection and elimination of spyware and ransomware by intercepting kernel-level system routines. IEEE Access 2018.

Qin, J.; Chen, L.; Liu, Y.; Liu, C.; Feng, C.; Chen, B. A machine learning methodology for diagnosing chronic kidney disease. *IEEE Access* **2019**, *8*, 20991–21002.

Li, J.P.; Haq, A.U.; Din, S.U.; Khan, J.; Khan, A.; Saboor, A. Heart disease identification method using machine learning classification in e-healthcare. *IEEE Access* **2020**, *8*, 107562–107582.

Urbanowicz, R.J.; Meeker, M.; Cava, W.L.; Olson, R.S.; Moore, J.H. Relief-based feature selection: Introduction and review. *J. Biomed. Inform.* **2018**, *85*, 189–203