Volume 4, Issue 3, 2026

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

THE CONTRIBUTION OF NURSES TO EFFECTIVE PATIENT CARE AND RECOVERY

Fehmeena Bibi[*1], Muhammad Bilal[2], Mumtaz wazir[3], Rukhsana Parveen[4], Shabana Rani[5], Sadia Noreen[6]

*[*1,3,4,5,6]Post RN BSc Nursing Scholar, Abbas Institute of Medical Sciences College of Nursing Layyah*
[2]Principal, Abbas Institute of Medical Sciences College of Nursing Layyah

[*1]fehmeenawazeer8549@gmail.com, [2]basitdullu786@gmail.com, [3]mumtazwazir392@gmail.com, [4]rukhsanaparveen7788@gmail.com, [5]shabanarani717@gmail.com, [6]51mukhtarahmad@gmail.com

DOI: https://doi.org/10.5281/zenodo.23663828

Keywords
Nursing care, patient recovery, healthcare outcomes, rehabilitation nursing, patient-centered care, therapeutic relationship, nursing interventions

Article History
Received: 25 January 2026
Accepted: 11 March 2026
Published: 25 March 2026

Copyright @Author
Corresponding Author: *
Fehmeena Bibi

Abstract

Nurses are integral parts of the healthcare team and serve as a crucial part of the process of supporting effective care and recovery of patients. They are not only responsible for direct care but also education, emotional support, rehabilitation support, continuity of care and collaboration with other disciplines. To enhance the quality of care and foster patient-centered care, it is critical to appreciate the role nurses play in patient outcomes. The study was conducted to review and analyze the contribution of nurses to effective patient care and recovery based on available scientific literature. This study was a systematic literature review. The articles were selected using electronic databases like PubMed, Google Scholar and MEDLINE from 2020 to 2026. Based on the inclusion criteria, 40 articles (15 review articles, 25 original research studies) were selected. The process of reviewing and synthesizing selected studies was done in a narrative way. The literature that was reviewed showed that nurses play an important role in the care of patients and their recovery related to their clinical intervention, rehabilitation assistance, patient education, therapeutic communication, emotional care and continuity of care. Therapeutic nurse-patient relationships were shown to enhance the psychological wellbeing, satisfaction and trust of the patient. Rehabilitation nursing interventions encouraged independence, functional recovery and enhanced quality of life. In conclusion, Nurses are an essential part of successful patient care and recovery. They work in all areas of health care – clinical, educational, psychological, rehabilitative, and organizational. Enhancing nursing skills, facilitating evidence-based practice and implementing collaborative healthcare models can further affect patient outcomes, quality of care, and healthcare system improvement.

INTRODUCTION

Healthcare systems around the world rely heavily on nurses as the cornerstone of patient care. Nurses represent the largest group of healthcare professionals and are involved in virtually every aspect of patient management, from assessment and treatment to rehabilitation and health promotion [1]. It is not just about handing out meds and routine clinical work; it is about offering emotional support, patient advocacy, patient education, and healthcare services coordination. With advancing technology, an older population and increasing incidence of chronic diseases, the role of the nurse has grown substantially in today's complex health care environment. Thus, a significant focus of research into current healthcare is the role that nurses play in the recovery and effective care of patients [2].

Patient care is the service that is rendered

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

to the patients by the health care providers for maintaining or enhancing health status of the patient. Safety, quality, timeliness, patient-centeredness, efficiency, and equity in access to health care services are hallmarks of effective patient care[3]. Nurses have the most time spent in direct contact with patients of any healthcare provider, enabling them to gain an in-depth knowledge of the physical, psychological, social and emotional needs of patients. This intimate contact puts nurses in a unique position to help improve a patient's outcome and make a significant contribution to the healing process [4].

Over the last 100 years, the profession of nursing has undergone significant change [5]. Nurses serve as the link between professionals and families to ensure effective communication between physicians, therapists, pharmacists, patients and families. By communicating effectively and collaborating with others, nurses can help to minimize the risk of medical errors, decrease delays in treatment and enhance the overall patient experience [6]. Nurses can educate patients and their families and teach them to be active members of the health care team and to become effective decision makers [7]. For chronic conditions like diabetes, hypertension, cardiovascular diseases, and respiratory disorders, this educational role is especially critical because it plays a pivotal role in treatment outcomes and recovery, especially in self-management [8].




Figure 1.1: The role of nursing personnel (NP) in utilizing knowledge and interpreting instructions derived from treating physicians in clinical settings toward personalized medicine and nursing care.

Nurses are trained professionals who not only attend to the physical needs of patients, but they also offer emotional and psychological support. Anxiety, stress, fear and uncertainty are common when a person gets sick, is hospitalized or has a medical procedure. The nurse-patient bond can be a healing and inspiring bond, as the patient heals[9]. They are observant about early symptoms and signs and interventions are timely, stopping them from getting to serious health problems. Besides, nurses take precautions to avoid becoming infected, maintain excellent records and adhere to clinical guidelines for optimal care.

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

These responsibilities have a direct effect on the outcomes of patients and the quality of health care[10]. Their interactions with patients provide them with insights that can be used to improve healthcare practices and identify areas for improvement. These new positions can influence the recovery of individual patients, and larger health outcomes and health system performance [11].

Nurses' role in effective patient care and recovery goes beyond the scope of the basic nursing functions, given the complexity of nursing tasks. Understanding the contributions is an appreciation of the value of nursing practice and support strategies and the value to enhanced patient outcomes and the quality of the healthcare [12]. Nurses are key to patient care by regularly interacting with patients, following and tracking treatment and providing safe and effective care [13]. Assessment is the initial phase of the nursing process and is the process of gathering data about the patient's physical, psychological, social and emotional status. Nurses collect information by observation, interviews, physical assessment and diagnostic testing [14].

Nurses work alongside doctors and other health care providers to create complete care plans that will meet both short and long-term patient needs [15]. The nurses carry out a range of clinical procedures, give treatments and care, record patient responses to treatment and offer ongoing support during implementation [16]. Another very important role that nurses have to carry out is administering medicines. Medications are one of the top therapeutic techniques used in healthcare and the safe administration of medications is one of the most important pieces of patient care [17]. They verify orders of medicines, monitor patients' responses, seek any negative reactions and teach patients about taking medicines [18].

Communication is an essential aspect of the profession of nursing and in patient care. Nurses act as a communicator for patients, families, physicians and other healthcare providers. Good communication helps to build understanding, share information and provide continuity of care. Clear and accurate communication can minimize misunderstandings, medical errors, and the need to coordinate the work of members of the healthcare team [19]. Patient advocacy is also an important responsibility for nurses. Patient advocacy is protecting patients' rights, ensuring informed decision making, and promoting access to appropriate healthcare services. Nurses frequently serve as patient's advocates when patients are unable to voice concerns for their reasons of illness, age, language, or emotional distress [20].

Nurses have also important roles in health promotion and disease prevention. While caring for those who already have diseases, healthcare workers also strive to keep people healthy, preventing them from developing health issues in the future. Nurses provide patients with information about good nutrition, exercise, taking medications as prescribed, and prevention. They counsel on risk factors of chronic diseases and promote behavior to help prevent future disease. Through these educational campaigns, patients can become more engaged in their health care and decrease the chances of developing the disease again or having complications [21].

Nurses can have more effective, efficient and safe care when they used evidence-based practice. Nurses play a role in ongoing improvement of healthcare by staying up to date on research results and clinical guidelines [22].

Nurses continue to be essential partners in providing quality patient care, combining their clinical knowledge, communication, compassion, and utilization of evidence-based practice. They play a vital role in the healthcare landscape today, as they are able to attend to patients' overall needs and arrange for various healthcare professionals to work together [23]. Nurses make significant contributions to the quality of healthcare and the experience of patients through clinical practice, compassionate care, patient education and collaborative care. Their impact goes beyond a single treatment, impacting long-term health status, patient satisfaction, and the

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

performance of the healthcare system [24].




Figure 1.2: The roles of nurses in supporting health literacy

Nurses also play a role in recovery with rehabilitation support and encouraging patient independence. After injury, surgery or serious illness, many patients need help getting back to normal physical function and activity of daily living. Nurses closely collaborate with the physiotherapists, OTs and other health care practitioners in facilitating rehabilitation activities. They help patients become mobile, help with exercises and encourage active involvement in recovery programs. These interventions allow for restoration of functional abilities, increases confidence and quality of life. Nurses foster independence, which helps patients to return to normal function and reintegrate more effectively into their communities [25].

Nurses also play a role in preventing health care associated complications. Pressure ulcers, falls, medication-related problems, as well as infections, are preventable complications that can happen to a hospitalized patient. Nurses apply evidence-based prevention practices, such as infection control, patient repositioning, fall prevention, and ongoing patient clinical monitoring and documentation. Their attentiveness and care in ensuring safety reduce the chances of patient harm and unnecessary risks. This not only leads to better health outcomes for patients, but can also help to lower healthcare costs and shorten hospital stays [26].

Nurses at the organizational level can help to enhance health care outcomes by involving themselves in quality enhancement, clinical research, and implementation of evidence-based practice. Through their interactions with patients, they are able to recognize areas for improvement and strategize ways to improve patient services [27]. Nurses use the latest scientific knowledge to ensure that the care they provide is effective, safe and patient-centred, and are engaged in ongoing professional development. They help meet healthcare quality goals like reducing mortality, minimizing complication rates, decreasing hospital stays and better health outcomes [28].

In conclusion, nurses play an important role in the rehabilitation and achievement of patients in the health system. They look after the physical needs, provide emotional support, instruct patients in various aspects of their care, and help to rehabilitate patients, prevent complications, and engage in quality

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

improvement tasks. Nurses have different roles – roles that have a direct effect on the rate and quality of recovery, and the overall healthcare experience. As healthcare systems continue to change and the complexity of patient needs grows, the role of the nurse is crucial to providing high quality, patient-centred and optimal health outcomes.

Aims and Objectives:

- To explore the role of nurses in delivering effective patient care across different healthcare settings.
- To examine the contribution of nursing interventions to patient recovery and rehabilitation.
- To assess the impact of nurse–patient communication and therapeutic relationships on patient outcomes.
- To identify the challenges faced by nurses in providing effective patient care and their implications for healthcare quality.

REVIEW OF LITERATURE

Al Fatih and Ningrum (2026) conducted a study on the influence of the quality of nurse service and emotional care towards patient trust and patient recovery in healthcare facilities at Bandung. This study adopted quantitative, cross sectional study design and the study participants were those who received nursing services. Structured questionnaires were used to collect data and the data was analyzed using descriptive and inferential statistics. The results showed that both the quality of the services provided by the nurse and emotional care had significant positive effects on patient trust. The study also revealed that the technical quality of nursing care is not the only factor that might affect the recovery of the patients, but the emotional and relation aspects of the delivery of care are also contributing factors to the patient's recovery. The authors proposed that the quality of nursing care and emotional care can be provided through the trust method, and it has the potential to enhance patient recovery, as well as contribute to providing patient-centred nursing services [29].

Jendrzejczak *et al.*, (2025) conducted a systematic review to determine the importance of the nursing role in the surgical clinical pathway for the treatment of aortic stenosis in high-risk patients through transcatheter aortic valve implantation (TAVI). To "PRISMA" guidelines, 10 studies were identified from the PubMed, Scopus, CINAHL, Web of Science and Cochrane Library. The nurses played a significant role in this review period both preoperatively, perioperatively and postoperatively in the care of TAVI. The majority of the studies were on postoperative outcomes, follow up care and rehabilitation, but the evidence was limited because of the low number of patients. The authors concluded that the multidisciplinary approach to TAVI was extremely important and emphasized the need to have evidence-based nursing guidelines in place to ensure that nursing care is standardized and optimized for clinical outcomes and patient recovery after a TAVI procedure [30].

Ventosa-Ruiz *et al.*, (2025) researched the benefits of collaborative nursing care in the mental health of users of mental health day hospitals. A sequential transformative mixed methods design was employed with 144 mental health service users. A participatory action research approach was used, with all participants being subjected to quantitative data collection and a sub-group then being selected for the collaborative nursing care intervention. Qualitative data was then gathered from the intervention group and a second quantitative measurement was taken for all users. This study emphasised the role of therapeutic nurse-patient relationship in favour of positive health outcomes and empowerment of patients. The authors suggested joint nursing care system in mental institutions is a necessary care model for patient's recovery and their overall success [31].

Graciela and Raba (2025) conducted a research on the correlation between nursing interventions and inpatients recovery rate in Maluku, Indonesia which is tertiary hospital. A quantitative correlational study design was used and the sample size of 210 patients were selected by stratified random sampling technique from medical, surgical and intensive care units. Nursing interventions were divided into three categories: clinical, educational

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

and psychosocial, and clinical progress indicators such as length of stay, complications, and patient status at discharge were used to assess the recovery of patients. The results of statistical analysis (Pearson correlation and multiple regression) showed the nursing intervention had a positive and significant relationship with the patient's recovery outcome. They also emphasized the importance of the nursing profession being competent, continuous nursing education and the provision of culturally responsive care which will enable the best possible recovery and sustainability of the healthcare services in limited healthcare systems [32].

Soares *et al.*,'s (2025) study was a scoping review that aimed to review and map the role of mental health nurses in psychiatric home hospitalization care. The methodology suggested by the Joanna Briggs Institute (JBI) was used to synthesize the existing evidence without imposing any restrictions other than language on the searches. The five dimensions identified by the review involved satisfaction, care models, the therapeutic relationship, the care environment and the organization of care, which were all characteristics of nursing practice within psychiatric home hospitalization. These dimensions were similar to the nursing quality criteria and indicated several principles of psychiatric mental health nursing practice, the authors said. Although there are not many studies available, the review illustrated the significant role of mental health nurses in the care and recovery of patient within home based psychiatric services. Based on this, the authors suggested that more quantitative and mixed methods studies are required to assess nursing-sensitive outcomes and to further bolster the evidence base on mental health nursing interventions in psychiatric home hospitalization [33].

The study by Izzo *et al.*, (2025) examined the role of cardiovascular nursing in rehabilitative cardiology, emphasizing the importance of cardiovascular nursing in achieving long-term outcomes and recovery for individuals with cardiovascular diseases. The review noted that cardiac rehabilitation is a multi-disciplinary intervention aimed at maximizing patients' physical recovery, minimising risk of further cardiac events and improving patients' quality of life. The authors were able to pick out a number of responsibilities that cardiovascular nurses have, such as patient assessment, education on a personal level, psychosocial support, and coordination of care throughout the rehabilitation process. New technologies such as telemedicine and home-based rehab programs were identified as potential resources to keep patients engaged and reachable to health care services. The authors recommended that cardiac rehabilitation programs could be more effective with a larger role for cardiovascular nurses, better multi-disciplinary care, and supportive healthcare policies, which would have a major impact on achieving better long-term care outcomes for patients [34].

Terzoni *et al.*, (2024) studied the perceived usefulness of the nurse–patient therapeutic relationship throughout the rehabilitation process of people with urinary incontinence. This was a monocentric, retrospective mixed methods study with 91 adult patients with non-neurogenic and non-postpartum urinary incontinence who attended a nurse-led continence clinic in Northern Italy. The semi-structured interviews were used for a phenomenological approach after 6 weeks of rehabilitation and SF-12 was used for the quality of life at the admission, mid-rehabilitation and final consultation. Results outlined extremely significant physical and mental QOL scores which improved throughout the rehabilitation program. Initially, there was a large range of patients' psychological well-being, but the rehabilitation process resulted in more consistent psychological well being. The authors found that clinical improvement was not the only factor that contributed to good rehabilitation results, but also the supportive, trustworthy, and honest environment created in the rehabilitation process, which was facilitated by effective nursing care [35].

Shirozhan *et al.*, (2024) did a concept analysis study to investigate the nature and characteristics of rehabilitation nursing care in the acute stage of physical disability diseases. Using Walker and Avant's concept analysis

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

approach, the researchers explored the essential characteristics, antecedents, consequences and applications of rehabilitation nursing care. Several attributes were identified: holistic, education-based, specialized, patient and family-centered, interprofessional, and needs-based are the attributes of rehabilitation nursing. It was also found that certain factors preceded effective rehab nursing care, such as professional knowledge, special clinical skills, team work, effective communication, cultural sensitivity, holistic thoughts, and sound clinical reasoning. The authors concluded that the rehabilitation nursing care is an important part of the management of Acute Health Care and they emphasized to reinforce the skills of the rehabilitation nurses and to enhance their knowledge of the principles of rehabilitation for best rehabilitation outcomes of patients and also for the better quality of rehabilitation nursing care [36].

Gutenbrunner *et al.,* (2022) conceptually thought of nursing as a part of rehabilitation and highlighted the significance of nursing throughout the entire rehabilitation process. While describing the purposes of rehabilitation, the authors emphasized that it is to maximize functioning, and the purpose of nursing is to help maintain or restore optimal functioning of the person with a disability or health limitation through the judicious application of professional clinical judgment and care. The authors emphasized that the nurses are involved in all aspects of the multidimensional rehabilitation process which includes patient education, demonstration, guidance and continuous support. Nurses also spend extended time with patients and families, gaining a great deal from the patient about the individual, social and environmental influences impacting recovery. This study has identified that strengthening the role of a nurse in rehabilitation is essential to deliver high-quality rehabilitation services, to optimize rehabilitation outcomes for the patient and to enhance the quality of life of the patient [37].

Alshammari et al (2022) studied the nurses' perception of their role in the extracorporeal membrane oxygenation (ECMO) services provided to adults in the intensive care unit (ICU) at Kuwait. It was a qualitative descriptive design with in-depth interviews of 19 nurses with experience in the care of patients on veno-venous ECMO. The findings showed that the perception of the role of nurses was complex, multifaceted and challenging, as they were involved in various clinical tasks, working closely with other health care providers. Nurses reported that they felt competent in providing ECMO care and that this competence was due to specialized training and skills that they had developed to care for very sick people. They stressed the need to enhance nursing skills, provide more supportive condition in the job and solve the professional issues in the organization to maximize the quality and effectiveness of ECMO nursing care [38].

Ehrlich *et al.,* (2022) undertook a scoping review. A cross-section of studies from all over Europe, UK, Canada and Australasia was analyzed with twenty-four studies relating to nursing practice in adult inpatient rehabilitation units analyzed. The results they discovered were that nursing work was a major part of the rehabilitation process but was not always recognized, or valued as such, in the health care service which focused on rehabilitation. It was found that nurses practiced the care in three mutually supportive clinical care, personal care and rehabilitation care and provided support for patient-centered recovery goals. From the above findings, the study recommended well recognition of rehabilitation nursing in health care systems as well as establishing a better coordinated team work and communication process between rehabilitation specialty and other healthcare professions to enhance rehabilitation outcome and to facilitate and streamline multidisciplinary rehabilitation care [39].

Vaalburg *et al.,* (2021) conducted a narrative review that looked at patients' needs regarding goal setting in geriatric rehabilitation and how this need is managed by the nursing profession. Twenty-two studies dedicated to patients' experience of goal-setting and 12 studies dedicated to the role of the nurse in rehabilitation were included in the review. The outcomes revealed that adequate preparation

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

and explanations were required for patients to be able to actively engage in goal setting process. In addition, interprofessional working, continuity of care, building a relationship of trust, allocating adequate time, and supportive care environments were identified as factors vital to enhancing nursing role in rehabilitation. The study identified that improved nurse roles and clearer understanding of the role's nurses can play in supporting patients in rehabilitation settings could contribute to patients being more involved in goal setting as well as better outcomes in their rehabilitation [40].

Guzmán *et al.*, (2020) looked at the role of nurses in continuity of care after discharge from a hospital. The design of this study was descriptive and exploratory, adopting a qualitative approach and performed at the Hospital Clínico Magallanes in Chile. Data collection was done through interviews with the nurses and analyzed using content analysis technique. The results indicated that nurses were in the middle of the continuum of care, coordinating the healthcare services and helping patients with the transition from hospital to community-based care. In addition, nurses highlighted the need for having structured care networks at the inter-level level to establish care continuity and enhance the quality of care provided to patients. The authors found that the nurse is important facilitator to safe and effective healthcare transition and critical in supporting recovery, reducing fragmented care and assisting patients in transition beyond hospitalization [41].

Pentecost *et al.*, (2020) undertook a systematic literature review and qualitative synthesis. A total of 22,374 articles were identified after a search and a final 47 articles were included in the final review and 16 studies were included in the final synthesis that were found to be of quality and relevant. The results showed that good basic nursing care depends on good leadership from the nurse, team work between nurse and patient and unity of organization which promote the achievement of the nursing goals and nursing of the patient. There was also a need for organization support and coordinated care practices to provide good nursing care. The authors concluded that, in addition to the evidence-based nursing interventions, the enhancement of leadership, nurse–patient relationship, and the environment of the healthcare system was crucial for providing basic nursing care to improve the outcome of care for the patient [42].

MATERIALS AND METHODS

Systematic Literature Review

This study was conducted as a systematic literature review to evaluate the contribution of nurses to effective patient care and recovery. Relevant literature published between **2020 and 2026** was reviewed to identify evidence regarding the role of nurses in patient care, rehabilitation, recovery outcomes, patient satisfaction, continuity of care, therapeutic relationships, and multidisciplinary healthcare interventions.

A comprehensive search of published literature was performed using electronic databases including **PubMed, Google Scholar, MEDLINE, Scopus, CINAHL, and Web of Science**. The search was conducted using combinations of keywords such as *nursing care, role of nurses, patient recovery, patient outcomes, nursing interventions, rehabilitation nursing, patient-centered care, continuity of care, therapeutic relationship, and healthcare outcomes.* Boolean operators (AND, OR) were used to refine the search strategy.

Forty articles were included in the review and consisted of 15 review articles (systematic, scoping, narrative, and concept) and 25 original research articles (quantitative, qualitative, and mixed-methods). Studies were included if they were published in English and full text. Studies with no clear outcomes related to patient care or recovery, conference abstracts, editorials, and duplicate publications and articles unrelated to nursing practice were excluded. All articles selected for inclusion were critically reviewed and classified based on the nursing role(s) and outcome(s) discussed. The Vancouver referencing style was used for organizing and citing references.

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

Role of Nurses in Effective Patient Care and Recovery

Nurses are key health care providers who play a vital role in assisting with patient care and recovery by providing direct clinical care, educating patients, assisting with rehabilitation, providing emotional support, coordinating care, and promoting health. Literature examined revealed several important areas where nursing contributes to patients' outcomes.

Patient Education and Health Promotion

Patient education is a basic duty of nursing which helps patients to understand the condition and its treatment, the medication schedule, and the required lifestyle changes. Treatment adherence, self-management and the risk of complications and hospital readmissions are enhanced through effective education. Research has shown that nurses are the main teachers in both acute and community health care. Nurses help patients be actively involved in their own healing and make their health care choices by providing individual counseling and health promotion.

Table 3.1: Nursing Contributions to Patient Education

Nursing Activity	Purpose	Impact on Patients
Disease Education	Improve understanding of illness	Better treatment adherence
Medication Counseling	Promote safe medication use	Reduced medication errors
Lifestyle Modification Guidance	Encourage healthy behaviors	Improved long-term outcomes
Discharge Education	Prepare patients for self-care	Reduced readmissions

Therapeutic Nurse–Patient Relationship

Nurses' therapeutic relationship with patients is identified as one of the important factors that affect the patient's recovery. Nurses spend more time with patients than other patient healthcare providers, which gives them more time to build trust, empathy, and good communication with patients. Evidence suggests that supportive nurse–patient relationship play a role in lowering anxiety, improving patient satisfaction, psychological wellness and recovery experiences. Empathy and trust from patients towards the care providers have been recognized as key factors for healthcare outcomes.

Key Components of Therapeutic Relationships

- Trust and mutual respect
- Active listening
- Emotional support
- Empathy and compassion
- Shared decision-making
- Effective communication

Rehabilitation Nursing

Rehabilitation nursing is the promotion of patient independence and maximizing functional abilities after illness, injury or disability. Nurses have a very active role in acute, post-acute and long-term rehabilitation. Rehabilitation nurses offer physical support, promote mobility, track rehabilitation, teach patients and families, and assist other members

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

of the multidisciplinary team in reaching rehabilitation goals.

Table 3.2: Rehabilitation Nursing Functions

Function	Description
Physical Rehabilitation Support	Assisting mobility and exercise programs
Goal Setting	Helping patients establish realistic recovery goals
Family Education	Preparing caregivers for patient support
Functional Assessment	Monitoring progress and rehabilitation outcomes
Care Coordination	Collaborating with rehabilitation teams

CLINICAL NURSING INTERVENTIONS

Clinical nursing interventions are a variety of activities designed to maximize positive patient outcomes. These include patient assessment, medication administration, monitoring clinical status, wound care, infection prevention and symptom management. Research has demonstrated that the effectiveness of the clinical nursing interventions is positively correlated with better recovery rates, shorter hospital stays, and fewer complications. Clinical care continues as one of the most reliable predictors of successful patient care outcomes.

Common Clinical Nursing Interventions

- Comprehensive patient assessment
- Medication administration and monitoring
- Wound management
- Infection prevention and control
- Pain management
- Vital sign monitoring
- Early detection of complications

Continuity of Care and Discharge Planning

Continuity of care is an important component of healthcare quality. Nurses have a crucial role to play in the transition of people between health care settings, including when they are discharged from hospital. The nursing responsibilities involve making arrangements for discharge, educating the patients, coordinating with primary healthcare providers, referring patients and providing follow-up care. Good continuity of care is linked with decreased re-admission rates and better patient recovery.

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

Table 3.3: Nursing Roles in Continuity of Care

Nursing Role	Contribution
Discharge Planning	Facilitates safe patient transition
Care Coordination	Links hospital and community services
Follow-Up Monitoring	Detects post-discharge complications
Patient Counseling	Enhances self-management abilities
Referral Management	Ensures continuity of healthcare services

Multidisciplinary Collaboration

Today in healthcare, the team approach is used for delivering comprehensive care for patients. Nurses act as a link and a communicator between doctors, therapists, pharmacists, patients and family members. Implementing collaborative nursing practice helps to increase efficiency in care, improve communication, minimize delays in treatment, and ensure better patient outcomes. Nurses play a vital role in providing some insight into patient needs, and also play an important role in helping to implement patient-focused care plans.

Mental Health and Emotional Support

The role of nurses in mental health care is vital, offering emotional support, empowerment of the patient, and therapeutic relationships. Group nursing care systems have been found to be advantageous to recovery for mental health patients. Nurses can give psychological support to help patients deal with anxiety, depression, uncertainty and stress related to illness and hospitalization.

Major Mental Health Nursing Interventions

- Therapeutic communication
- Emotional counseling
- Patient empowerment strategies
- Recovery-oriented care
- Family involvement and support
- Crisis intervention

Quality Of Life and Recovery Outcomes

The literature consistently demonstrates that nursing care positively influences quality of life and recovery outcomes. Effective nursing interventions contribute to:

- Improved physical functioning
- Enhanced psychological well-being
- Reduced complications
- Shorter hospital stays
- Increased patient satisfaction
- Greater independence
- Better long-term health outcomes

Patients receiving comprehensive nursing care often report higher levels of trust, confidence, comfort, and overall satisfaction with healthcare services.

Data Analysis

The selected studies were reviewed and analyzed using a narrative synthesis approach. Findings were grouped into thematic categories based on recurring concepts identified across the literature. The major themes included:

1. Patient education and health promotion
2. Therapeutic nurse–patient relationships
3. Rehabilitation nursing care
4. Clinical nursing interventions
5. Continuity of care and discharge planning
6. Multidisciplinary collaboration
7. Mental health support
8. Quality of life and recovery outcomes

The synthesized findings were then compared and interpreted to provide a

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

comprehensive overview of the contribution of nurses to effective patient care and recovery.

Ethical Considerations

As this study was based entirely on published literature, no human participants were directly involved and ethical approval was not required. All reviewed sources were appropriately cited and referenced according to academic standards to maintain intellectual integrity and avoid plagiarism.

DISCUSSION

The contribution of nurses to effective patient care and recovery has become increasingly important in modern healthcare systems due to the growing complexity of patient needs and the emphasis on patient-centered care. Nurses can have direct contact in a number of ways related to care provided to patients such as clinical activity, patient education, emotional support, rehabilitation and continuity of care. All of the studies in this review have shown that the nursing care has a significant impact on patient recovery, quality of life, health outcomes and patient satisfaction.

Al Fatih and Ningrum (2026) investigated the effect of nurse service quality, emotional services, patient trust and subsequent recovery of the patients in Bandung, Indonesia. The results indicated that the quality of the services and care (emotional) dimension resulted in a positive patient trust which in turn resulted in better recovery outcomes. The quality of service was deemed to be the most significant aspect of the patients' trust and emotional care was seen to be further enhancing the nursing-patient relationship. Technical nursing skills were shown to have an impact on the recovery process as well as on emotional and relational care by the authors [29]. Similarly, Terzoni *et al.,* (2024) discovered therapeutic nurse–patient relationship, as well, being important to improve a patient's quality of life during a period of rehabilitation for urinary incontinence. The nurses' role to support patients during the rehabilitation process was highlighted and her role in inspiring the patients with trust and honesty [35].

The findings of this review also demonstrated the contribution of nursing care measures in enhancing patients' recovery. Graciela & Raba (2025) investigated the relationship between nursing activities and the recovery outcomes in tertiary hospitals and they found that the activities of nursing has a positive correlation with the recovery outcomes in the tertiary hospitals. Structured nursing practices had a positive effect on length of hospital stay as well as recovery at discharge; clinical interventions had the greatest impact on recovery [32]. Similarly, Shirozhan *et al.,* (2024) pointed out that the rehabilitation nursing care were comprehensive, specialized and patient centered, which resulted better quality of life and better healthcare outcome. The results show that the nursing interventions have significance in recovery and reducing complications of hospitalized patients [36].

The importance of nurses in the rehabilitation setting was emphasized by several studies. According to the report of Gutenbrunner *et al.,* (2022), nursing is a component of rehabilitation, which means that nursing is engaged in all phases in the rehabilitation process including ensuring the independence, self-care and function of the patient [37]. Likewise, Izzo et al (2025) conducted a review to understand the role of nurses in cardiovascular nursing, specifically cardiac rehabilitation, and concluded that nurses were very important to educate patients, in providing psychosocial support and managing risk factors and care coordination. Better long-term outcomes and quality of life was associated with the interventions in patients with cardiovascular disease. Rehabilitation nursing emphasized more on empowering patients rather than acute clinical interventions [34].

It was also observed that collaboration and multidisciplinary practice in nurses' role were reflected in the literature. Ventosa-Ruiz *et al.,* (2025) identified that the collaborative nursing care had a relationship with the improved therapeutic relationship and empowerment of mental health service users. Favorable outcomes of recovery and improved engagement in care were associated with

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

collaborative care models[31]. Likewise, Ehrlich *et al.*, (2022) noted the role of the nurse as a member of the rehab team that involves communication with other health care providers and coordination of rehab goals from the patient's perspective. This study has emphasized the importance of good inter-professional working in order to achieve satisfactory outcomes[39].

Continuity of care was another important aspect identified in the literature. Guzmán et al (2020) noted that nurses had already been engaged in the management of hospital discharge, and the coordination of hospital and community healthcare service transitions. Effective discharge planning and follow-up care were found to reduce fragmentation of care and to help ensure a continuity of care and promote ongoing recovery[41]. Similarly, Vaalburg *et al.*,, (2021) emphasized the nurses' role in educating the patient about the rehabilitation goals, and participating actively in the rehabilitation process. Key elements for positive patient care outcomes identified were: clear communication, trust building and continuity of care [40].

In addition, good nursing care, which consisted of nutrition, mobility, hygiene and elimination, was correlated with the recovery experiences of the patients, and to the patients' experiences of nursing care (Pentecost *et al.*,, 2020). It highlighted the importance of good leadership, willingness to wait for patients and good nurse-patient relationships to ensure the provision of quality care [42].

Alshammari *et al.*, (2022) conducted a second study that found critical care nurses who worked with patients on extracorporeal membrane oxygenation (ECMO) played a critical role in coordinating and monitoring patient care and clinical management despite struggles with work [2].

To summarize, the review of the studies conducted demonstrated a number of ways in which nurses play an important role in the care of patients and their recovery such as through clinical skills, rehabilitation support, emotional support, patient education, continuity of care and working within multidisciplinary teams. Based on the evidence presented, recovery of the patient is not solely the responsibility of medical care, but also of the quality of the nursing care. The nursing competencies and successful nursing practice, therapeutic nurse-patient relationships, can then lead to better outcomes, quality of life and successful practice in many health care settings.

CONCLUSION

Nurses have a crucial role in providing proper care and treatment to patients and expediting their recovery in various healthcare environments. This study's literature review identifies the role nursing plays beyond the clinical setting and includes patient education, emotional support, and rehabilitation, continuity of care, multidisciplinary collaboration and patient advocacy. In these varied roles, nurses play an important role in the outcomes of patients, their quality of life, their health care experience and their recovery.

The reviewed studies consistently demonstrated that high quality nursing care had a positive impact on the recovery of patients, the reduction of complications, improvement of patient satisfaction and long-term health. The therapeutic nurse–patient relationships were seen as a significant factor in forming trust, emotional well-being, and engaging patients in treatment and rehabilitation. Likewise, the effects of rehabilitation nursing on patients with acute and chronic health problems were shown to be significant in terms of promoting independence, functional recovery, and quality of life among patients.

Multiple studies emphasized the role of teamwork and the participation of various professionals in providing nursing care collaboratively for a positive healthcare outcome. Nurses often act as the liaison between healthcare providers, patients and families. A successful discharge plan and continuity of care was also demonstrated to decrease care fragmentation and facilitate a successful post-hospitalization recovery.

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

REFERENCES

Flaubert JL, Le Menestrel S, Williams DR, Wakefield MK, National Academies of Sciences E and Medicine. Supporting the Health and Professional Well-Being of Nurses. In: The Future of Nursing 2020-2030: Charting a Path to Achieve Health Equity. Washington (DC): National Academies Press; 2021.

Alshammary HH, Alrshidy FM, Alrashidy MM, Alsaeed RS, Alshmmari AS, Alenzi MS, et al. Nursing As The Cornerstone Of Medical Care: Advancing Patient Safety, Quality, And Health Outcomes. The Review of Diabetic Studies. 2025;148–60.

Vujanić J, Mikšić Š, Barać I, Včev A, Lovrić R. Patients' and Nurses' Perceptions of Importance of Caring Nurse–Patient Interactions: Do They Differ? Healthcare. 2022;10(3):554.

Javaid M, Haleem A, Singh RP. Health informatics to enhance the healthcare industry's culture: An extensive analysis of its features, contributions, applications and limitations. Informatics and Health. 2024;1(2):123–48.

Edgman-Levitan S, Schoenbaum SC. Patient-centered care: achieving higher quality by designing care through the patient's eyes. Israel Journal of Health Policy Research. 2021;10(1):21.

Hannawa AF, Wu AW, Kolyada A, Potemkina A, Donaldson LJ. The aspects of healthcare quality that are important to health professionals and patients: A qualitative study. Patient Education and Counseling. 2022;105(6):1561–70.

Turkowski Y, Turkowski V. Florence Nightingale (1820-1910): The Founder of Modern Nursing. Cureus. 2024;16(8).

Ljungholm L, Edin-Liljegren A, Ekstedt M, Klinga C. What is needed for continuity of care and how can we achieve it? Perceptions among multiprofessionals on the chronic care trajectory. BMC Health Services Research. 2022;22(1):686.

Geese F, Schmitt KU. Interprofessional collaboration in complex patient care transition: a qualitative multi-perspective analysis. Healthcare. 2023;11(3):359.

Sheehan J, Laver K, Bhopti A, Rahja M, Usherwood T, Clemson L, et al. Methods and effectiveness of communication between hospital allied health and primary care practitioners: a systematic narrative review. Journal of Multidisciplinary Healthcare. 2021;493–511.

Bhattad PB, Pacifico L. Empowering patients: promoting patient education and health literacy. Cureus. 2022;14(7).

Mnawer MS, Younis NM. Effectiveness of an Educational Program in Improving Nurses' Knowledge Towards Communicable Diseases. Salud, Ciencia y Tecnología - Serie de Conferencias. 2025;(4):1584.

Ernstmeyer K, Christman E. Healthy Lifestyle. Chippewa Valley Technical College; 2025. (Nursing Health Promotion).

Flaubert JL, Le Menestrel S, Williams DR, Wakefield MK, National Academies of Sciences E and Medicine. The Role of Nurses in Improving Health Care Access and Quality. In: The Future of

Nursing 2020-2030: Charting a Path to Achieve Health Equity. Washington (DC): National Academies Press; 2021.

Sánchez-Almagro CP, Romero-Sánchez JM, White-Ríos M, González del Pino CA, Paloma-Castro O. NANDA International nursing diagnoses in the coping/stress tolerance domain and their linkages to Nursing Outcomes Classification outcomes and Nursing Interventions Classification interventions in the pre-hospital emergency care. Journal of Advanced Nursing. 2022;78(10):3273–89.

Raun M, Lassen A, Østervang C. Psychological well-being among nursing staff in an emergency department: a mixed-methods study. Journal of Emergency Nursing. 2025;51(2):238–48.

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

Alsadaan N, Salameh B, Reshia FA, Alruwaili RF, Alruwaili M, Awad Ali SA, et al. Impact of Nurse Leaders Behaviors on Nursing Staff Performance: A Systematic Review of Literature. INQUIRY: The Journal of Health Care Organization, Provision, and Financing. 2023;60:00469580231178528.

Xue X, Tao J, Li Y, Zhang G, Wang S, Xu C, et al. Impact of Clinical Leadership on Frontline Nurses' Quality of Care: Work Engagement as Mediator Role. BMC Health Services Research. 2025;25(1):560.

Tsapnidou E, Kelesi M, Rovithis M, Katharakis G, Gerogianni G, Dafogianni C, et al. Transformational Leadership—Quality Achievements and Benefits for the Healthcare Organizations: A Scoping Review. Hospitals. 2024;1(1):87–103.

Hassmiller SB, Wakefield MK. The Future of Nursing 2020–2030: Charting a Path to Achieve Health Equity. Nursing Outlook. 2022;70(6):S1–9.

Bakken S, Dreisbach C. Informatics and Data Science Perspective on Future of Nursing 2020–2030: Charting a Pathway to Health Equity. Nursing Outlook. 2022;70(6):S77–87.

Orukwowu U. Nursing Leadership in Healthcare: The Impact of Effective Nurse Leadership on Quality Healthcare Outcomes. IPS Interdisciplinary Journal of Social Sciences. 2022;1(1):1–6.

Buchan J, Catton H. Recover to Rebuild: Investing in the Nursing Workforce for Health System Effectiveness. International Council of Nurses; 2023 Mar.

Specchia ML, Cozzolino MR, Carini E, Di Pilla A, Galletti C, Ricciardi W, et al. Leadership Styles and Nurses' Job Satisfaction: Results of a Systematic Review. International Journal of Environmental Research and Public Health. 2021;18(4):1552.

Murat M, Köse S, Savaşer S. Determination of Stress, Depression and Burnout Levels of Front-Line Nurses During the COVID-19 Pandemic. International Journal of Mental Health Nursing. 2021;30(2):533–43.

Abd-EL Aliem SM, Abou Hashish EA. The Relationship Between Transformational Leadership Practices of First-Line Nurse Managers and Nurses' Organizational Resilience and Job Involvement: A Structural Equation Model. Worldviews on Evidence-Based Nursing. 2021;18(5):273–82.

Kitson AL, Harvey G, Gifford W, Hunter SC, Kelly J, Cummings GG, et al. How Nursing Leaders Promote Evidence-Based Practice Implementation at Point-of-Care: A Four-Country Exploratory Study. Journal of Advanced Nursing. 2021;77(5):2447–57.

Yu X, Li M, Du M, Wang Y, Liu Y, Wang H. Exploring Factors That Affect Nurse Staffing: A Descriptive Qualitative Study from Nurse Managers' Perspective. BMC Nursing. 2024;23(1):80.

Al Fatih H, Ningrum TP. The Role of Nurse Service Quality and Emotional Care in Improving Patient Trust and Recovery Outcomes in Bandung Healthcare Facilities. Media of Health Research. 2026;4(2):196–209.

Jendrzejczak A, Klukow J, Czerwik-Marcinkowska J, Styk W, Zmorzynski S. Nursing Care Across the Clinical Continuum of TAVI: A Systematic Review of Multidisciplinary Roles. Journal of Clinical Medicine. 2025;14(13):4535.

Ventosa-Ruiz A, Moreno-Poyato AR, Cañete-Massé C, Rolduà-Ros J, Feria-Raposo I, Campoverde K, et al. Impact of Collaborative Nursing Care on Health Outcomes of Mental Health Day Hospital Users: A Mixed Methods Study. Journal of Psychiatric and Mental Health Nursing. 2025;32(3):575– 90.

Frontier in Medical & Health Research

ISSN: (e) 3007-1607 (p) 3007-1593

Graciela M, Raba H. Nursing Interventions and Patient Recovery Rates: A Study in Tertiary Hospitals. Magenta Journal De Healthymedi. 2025;2(3):176–89.

Soares M, Martins V, Tomás M, Sousa L, Nascimento T, Costa P, et al. Psychiatric Home Hospitalization: The Role of Mental Health Nurses—A Scoping Review. Healthcare. 2025;13(3):231.

Izzo C, Visco V, Loria F, Squillante A, Iannarella C, Guerriero A, et al. Cardiovascular Nursing in Rehabilitative Cardiology: A Review. Journal of Cardiovascular Development and Disease. 2025;12(6):219.

Terzoni S, Mora C, Vahr Lauridssen S, N'Guessan S, Sighinolfi MC, Gaia G, et al. Perceived Usefulness of the Nurse–Patient Therapeutic Relationship in the Rehabilitation Journey of People with Urinary Incontinence: A Mixed-Method Study. Neurourology and Urodynamics. 2024;43(4):942–50.

Shirozhan S, Arsalani N, Maddah SS, Mohammadi-Shahboulaghi F. Rehabilitation Nursing Care in the Acute Phase of Diseases with Physical Disabilities: A Concept Analysis Study. International Journal of Nursing Knowledge. 2024;35(1):83–92.

Gutenbrunner C, Stievano A, Nugraha B, Stewart D, Catton H. Nursing—A Core Element of Rehabilitation. International Nursing Review. 2022;69(1):13–9.

Alshammari MA, Vellolikalam C, Alfeeli S. Nurses' Perception of Their Role in Extracorporeal Membrane Oxygenation Care: A Qualitative Assessment. Nursing in Critical Care. 2022;27(2):251– 7.

Ehrlich C, Lewis D, New A, Jones S, Grealish L. Exploring the Role of Nurses in Inpatient Rehabilitation Care Teams: A Scoping Review. International Journal of Nursing Studies. 2022;128:104134.

Vaalburg AM, Wattel E, Boersma P, Hertogh C, Gobbens R. Goal-Setting in Geriatric Rehabilitation: Can the Nursing Profession Meet Patients' Needs? A Narrative Review. Nursing Forum. 2021;56(3):648–59.

Guzmán MD, Ferreira A, Andrade SR. Role of Nurses for Continuity of Care After Hospital Discharge. Texto & Contexto-Enfermagem. 2020;29(spe):e20190268.

Pentecost C, Frost J, Sugg HV, Hilli A, Goodwin VA, Richards DA. Patients' and Nurses' Experiences of Fundamental Nursing Care: A Systematic Review and Qualitative Synthesis. Journal of Clinical Nursing. 2020;29(11–12):1858–82.